
July 2020

# MODEL A6SD



July 2020

## MODEL A6SD

Page 2

## Severe Weather Louver • 6" Deep • Chevron Blades • Vertical • Rain Resistant • Extruded Aluminum

## Performance Data


Pressure Drop:

.103 in. w.g. at 1000 fpm (intake)


Free Area:8.51 sq.ft. = 53% for 48"W x 48"H sample tested in accordance with AMCA Standard 500-L.Beginning Point of Water Penetration:Over 1250 fpmClass "A" Rating with 100.0% efficiency at 3 in. rain fall at intake velocity of 1785 fpm (15,190 cfm) at wind speed of 29 mph.

Class "A" Rating with 100.0% efficiency at 8 in. rain fall at intake velocity of 1708 fpm (14,535 cfm) at wind speed of 50 mph. Testing based on 48" x 48" based on AMCA Standard 500-L.

Ratings do not include effects of a screen.



Tested to AMCA Standard 500-L, Figure 5.5.



The Beginning Point of Water Penetration is above 1250 fpm through the free area of the louver.

AMCA Standard 500-L limits testing of water penetration to either a maximum velocity of 1250 fpm or 2.5 ounces of water per square foot of louver free area.

		Free Area (sq.ft.)										
		Width (in.)										
		12"	24"	36"	48"	60"	72"	84"	96"	108"	120"	
Height (in.)	12"	.25	.76	1.20	1.71	2.15	2.60	3.10	3.55	3.99	4.50	
	24"	.58	1.73	2.73	3.88	4.89	5.90	7.05	8.05	9.06	10.21	
	36"	.90	2.69	4.26	6.06	7.63	9.20	10.99	12.56	14.13	15.93	
	48"	1.22	3.66	5.79	8.51	10.36	12.50	14.94	17.07	19.20	21.64	
	60"	1.54	4.62	7.32	10.40	13.10	15.80	18.88	21.58	24.28	27.36	
	72"	1.86	5.59	8.85	12.58	15.84	19.10	22.83	26.09	29.35	33.07	
	84"	2.19	6.56	10.38	14.75	18.58	22.40	26.77	30.59	34.42	38.79	
	96"	2.51	7.52	11.91	16.92	21.31	25.70	30.71	35.10	39.49	44.50	
	108"	2.83	8.49	13.44	19.10	24.05	29.00	34.66	39.61	44.56	50.22	
	120"	3.15	9.45	14.97	21.27	26.79	32.30	38.60	44.12	49.63	55.94	



450 Riverside Dr • Wyalusing PA, 18853 Phone: 570-746-1888 • Fax: 570-746-9286 www.cescoproducts.com July 2020

# MODEL A6SD

SD-A6SD-20.07

Page 3

## Severe Weather Louver • 6" Deep • Chevron Blades • Vertical • Rain Resistant • Extruded Aluminum

## Wind Driven Rainwater Penetration Test

Conducted to AMCA Standard 500-L.

Test size 1m x 1m (39.7" x 39.7") core area, 41.88" x 41.75" nominal.

Louver Free Area 6.0 square feet.

Core Ventilation (m/s)	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	Rain Fall / MPH	
FPM	0	98	197	295	394	492	591	689	787	886	985	3 in. / hr. rain fall	
Free Area Ventilation (cfm)	-	-	-	-	-	-	-	-	-	-	10,710		
Free Area Velocity (fpm)	-	-	-	-	-	-	-	-	-	-	1,785	and 29 mph Velocity	
Effective Rating Class	А	Α	А	А	A	A	Α	Α	А	А	А		
Effective Ratio %	-	-	-	-	-	-	-	-	-	-	100.0		
FPM	-	-	-	-	-	-	-	-	-	-	952		
Free Area Ventilation (cfm)	-	-	-	-	-	-	-	-	-	-	10,248	8 in. / hr. rain fall	
Free Area Velocity (fpm)	-	-	-	-	-	-	-	-	-	-	1,708	and	
Effective Rating Class	А	Α	А	Α	A	Α	A	A	А	Α	А	50 mph Velocity	
Effective Ratio %	-	-	-	-	-	-	-	-	-	-	100.0	velocity	

## Wind Driven Rain Penetration Classifications

Class	Effectiveness %
A	100 to 99%
В	98.9% to 95%
С	94.9% to 80%
D	Below 80%

### Discharge Loss Coefficient Classifications

Class	Discharge Loss Coefficient					
1	0.4 and above					
2	0.3 to 0.399					
3	0.2 to 0.299					
4	0.199 and below					

**Discharge Coefficient** 

Intake Cd= 0.46 (Class 1)

Class 1 Loss Coefficient has the least resistance to airflow.

- 1. Core area is the front opening of a louver assembly with the blades removed.
- 2. Core area velocity is the airflow rate through the louver divided by the core area (39.37" x 39.37").
- Free area is the minimum area through which air can pass. It is determined by multiplying the sum of the minimum distance between intermediate blades, top blade and head, bottom blade and sill, by the minimum distance between jambs.
- Discharge loss coefficient is calculated by dividing a louver actual airflow rate vs. a theoretical airflow for the opening, providing an indication of the louver air flow characteristics.



Cesco Products certifies that the Model A6SD shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings Seal applies to Water Penetration, Air Performance, and Wind Driven Rain Ratings only.



450 Riverside Dr • Wyalusing PA, 18853 Phone: 570-746-1888 • Fax: 570-746-9286 www.cescoproducts.com


huly	2020
July	2020

## MODEL A6SD

Page 4

#### Severe Weather Louver • 6" Deep • Chevron Blades • Vertical • Rain Resistant • Extruded Aluminum

This is to certify that the "Building Services Research and Information Association" (BSRIA) have type tested the product described below to the requirements contained in the 5th Edition of the HEVAC Technical Specifications "Laboratory Testing and Ratings of Weather Louvers When Subjected to Simulated Wind Driven Rain".



#### HEVAC Testing at Other Windspeeds and Rainfall Rates

30 MPH at 4.72" Rainfall at 1517 FPM (12,910 CFM) ventilation rate through free area is 100% effective. 55 MPH at 2.95" Rainfall at 1517 FPM (12,910 CFM) ventilation rate through free area is 100% effective. 55 MPH at 4.72" Rainfall at 1600 FPM (13,616 CFM) ventilation rate through free area is 99.99% effective.

