Page 1

## Standard Construction and Materials

FRAME: 18-GA. galvanized steel, channel or flanged type.

**BLADE:** 18-GA. galvanized steel. Blades approximately 3" on centers.

SCREEN: (when indicated)

½" sq. mesh, 19-GA. galvanized steel, .041".

**CONSTRUCTION:** Riveted and/or welded for maximum service.

Options
Frames and Blades of other gauges

Other materials - Stainless steel, Copper, Aluminum, etc.

Finishes - Enamels, Epoxies, etc.


Screens - Insect screen 18/14 aluminum mesh,


- -or- ½" flattened aluminum, .051",
- -or- 1/4" sq. mesh, 18-GA galvanized steel, .047",
- -or- ½" sq. mesh, 18-GA stainless steel, .047",

Others available.

## Notes

- 1. Nominal deductions will be made to the opening size given.
- 2. Approximate shipping weight is 10 lbs./sq.ft.







	-	Width	∐aiah+	Width	∐aiah+		Туре	Location			
<u>ltem #</u>	<u>Oty</u>	vviatn	Height	vviatn	Height	<u>Mullion</u>	туре	Location			TOVAL AS
		Opening Size Louver Size		<u>er Size</u>	IVIUIIIOII	<u>Screens</u>				<u>Union Made</u>	
<u>Arch. / Eng.:</u>						EDR:		ECN:		<u>Job:</u>	
<u>Contractor:</u>											
<u>Project:</u>						<u>Date:</u>		<u>DWN:</u>		<u>DWG:</u>	

In the interest of product development, Cesco Products reserves the right to make changes without notice.

